

# **Ardex Multiprime**

Ardex (Ardex NZ)

Chemwatch: **7516-93** Version No: **7.1.1.1** 

Safety Data Sheet according to HSNO Regulations

#### Chemwatch Hazard Alert Code:

Issue Date: 21/04/2016 Print Date: 22/04/2016 Initial Date: Not Available S.GHS.NZL.EN

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### **Product Identifier**

| Product name                  | Ardex Multiprime                 |  |
|-------------------------------|----------------------------------|--|
| Synonyms                      | adhesion improving agent, primer |  |
| Other means of identification | Not Available                    |  |

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses | Prime various building substrates to increase the adhesion of adhesives o water-proofing membranes to the substrates. Application is via brush or roller.

### Details of the supplier of the safety data sheet

| Registered company name | Registered company name Ardex (Ardex NZ) Ardex (Ardex Australia) |   |  |
|-------------------------|--|---|--|
| Address                 | 32 Lane Street Christchurch Woolston New Zealand                 | 20 Powers Road NSW Seven Hills 2147 Australia |  |
| Telephone               | +64 3373 6928  | 1800 224 070                                  |  |
| Fax +64 3384 9779       |  | 1300 780 102                                  |  |
| Website                 | Not Available  | Not Available                                 |  |
| Email                   | Not Available  | Not Available                                 |  |

### Emergency telephone number

| Association / Organisation        | Not Available | Not Available                   |
|-----------------------------------|---------------|---------------------------------|
| Emergency telephone numbers       | +64 3373 6900 | 1800 224 070 (Mon-Fri, 9am-5pm) |
| Other emergency telephone numbers | Not Available | Not Available                   |

### **SECTION 2 HAZARDS IDENTIFICATION**

# Classification of the substance or mixture

Not considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Not regulated for transport of Dangerous Goods.

# CHEMWATCH HAZARD RATINGS

|              | Min | Max |                         |
|--------------|-----|-----|-------------------------|
| Flammability | 0   | 1   |                         |
| Toxicity     | 0   |     | 0 = Minimum             |
| Body Contact | 1   | - 1 | 1 = Low<br>2 = Moderate |
| Reactivity   | 0   |     | 3 = High                |
| Chronic      | 0   |     | 4 = Extreme             |

| Classification                                     | Not Applicable |
|--|----------------|
| Determined by Chemwatch<br>using GHS/HSNO criteria | Not Available  |

### Label elements

| GHS label elements | Not Applicable |
|--------------------|----------------|
| SIGNAL WORD        | NOT APPLICABLE |

Chemwatch: **7516-93**Version No: **7.1.1.1** 

Page 2 of 7

**Ardex Multiprime** 

Issue Date: **21/04/2016**Print Date: **22/04/2016** 

Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### **Substances**

See section below for composition of Mixtures

### Mixtures

| CAS No        | %[weight] | Name                      |
|---------------|-----------|---------------------------|
| Not Available | 10-60     | synthetic styrene acrylic |
| Not Available | 0-1       | bacteriacide              |
| 7732-18-5     | 30-60     | water                     |

# **SECTION 4 FIRST AID MEASURES**

NZ Poisons Centre 0800 POISON (0800 764 766) | NZ Emergency Services: 111

### Description of first aid measures

| Eye Contact    If this product comes in contact with eyes:   Wash out immediately with water. |   |
|---|---|
| Skin Contact  | If skin or hair contact occurs:  ▶ Flush skin and hair with running water (and soap if available).  ▶ Seek medical attention in event of irritation.                |
| Inhalation  | <ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>           |
| Ingestion   | <ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul> |

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 FIREFIGHTING MEASURES**

# Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

# Special hazards arising from the substrate or mixture

|   | Fire Incompatibility    | None known.   |  |  |  |
|---|-------------------------|---|--|--|--|
| ,   | Advice for firefighters |   |  |  |  |
| Fire Fighting    Alert Fire Brigade and tell them location and nature of hazard.   Wear breathing apparatus plus protective gloves in the event of a fire.   Prevent, by any means available, spillage from entering drains or water courses.   Use fire fighting procedures suitable for surrounding area. |                         | <ul> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> </ul> |  |  |  |
|   | Fire/Explosion Hazard   | <ul> <li>Non combustible.</li> <li>Not considered a significant fire risk, however containers may burn.</li> <li>May emit poisonous fumes.</li> </ul>                                 |  |  |  |

# **SECTION 6 ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

**Minor Spills** 

- ► Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- ► Control personal contact with the substance, by using protective equipment.
- ▶ Contain and absorb spill with sand, earth, inert material or vermiculite.

#### **Ardex Multiprime**

Issue Date: 21/04/2016 Print Date: 22/04/2016

**Major Spills** 

Moderate hazard.

- Clear area of personnel and move upwind.
- ▶ Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

### **SECTION 7 HANDLING AND STORAGE**

# Precautions for safe handling

# Safe handling

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- ▶ Use in a well-ventilated area
- ▶ Prevent concentration in hollows and sumps.

#### Other information

- ▶ Store in original containers.
- ▶ Keep containers securely sealed.
- ▶ Store in a cool, dry, well-ventilated area.
- ▶ Store away from incompatible materials and foodstuff containers.

### Conditions for safe storage, including any incompatibilities

# Suitable container

- ▶ Polyethylene or polypropylene container.
- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks

Storage incompatibility

None known

# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Control parameters**

### OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA

Not Available

#### **EMERGENCY LIMITS**

| Ingredient                | Material name | TEEL-1        | TEEL-2        | TEEL-3        |
|---------------------------|---------------|---------------|---------------|---------------|
| Ardex Multiprime          | Not Available | Not Available | Not Available | Not Available |
|                           |               |               |               |               |
| Ingredient                | Original IDLH |               | Revised IDLH  |               |
| synthetic styrene acrylic | Not Available |               | Not Available |               |
| bacteriacide              | Not Available |               | Not Available |               |
| water                     | Not Available |               | Not Available |               |

### Exposure controls

### Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

### Personal protection







# Eye and face protection

- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

# Skin protection

# Hands/feet protection

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final

Suitability and durability of glove type is dependent on usage.

- ▶ Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber

### **Body protection**

### See Other protection below

# Other protection

- Overalls.
  - P.V.C. apron. Barrier cream.
- Thermal hazards

- Not Available

### Recommended material(s)

# GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Ardex Multiprime

| Material       | СРІ |
|----------------|-----|
| BUTYL          | A   |
| NEOPRENE       | A   |
| VITON          | A   |
| NATURAL RUBBER | С   |
| PVA            | С   |

<sup>\*</sup> CPI - Chemwatch Performance Index

A: Best Selection

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

\* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

# **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

# Information on basic physical and chemical properties

| Appearance                                   | White milky liquid with a slight odour; mixes with water. |  |                |
|--|---|--|----------------|
|  |   |  |                |
| Physical state                               | Liquid  | Relative density (Water = 1)               | 1.01 approx.   |
| Odour  | Not Available   | Partition coefficient<br>n-octanol / water | Not Available  |
| Odour threshold                              | Not Available   | Auto-ignition temperature (°C)             | Not Applicable |
| pH (as supplied)                             | 8.0 (approx.)   | Decomposition temperature                  | Not Available  |
| Melting point / freezing point (°C)          | Not Available   | Viscosity (cSt)                            | Not Available  |
| Initial boiling point and boiling range (°C) | 100   | Molecular weight (g/mol)                   | Not Applicable |
| Flash point (°C)                             | Not Applicable  | Taste                                      | Not Available  |
| Evaporation rate                             | Not Available   | Explosive properties                       | Not Available  |
| Flammability                                 | Not Applicable  | Oxidising properties                       | Not Available  |
| Upper Explosive Limit (%)                    | Not Applicable  | Surface Tension (dyn/cm or mN/m)           | Not Available  |
| Lower Explosive Limit (%)                    | Not Applicable  | Volatile Component (%vol)                  | Not Available  |
| Vapour pressure (kPa)                        | 2.26 @ 20 deg C   | Gas group                                  | Not Available  |
| Solubility in water (g/L)                    | Partly miscible   | pH as a solution (1%)                      | Not Available  |
| Vapour density (Air = 1)                     | <1  | VOC g/L                                    | Not Available  |

# **SECTION 10 STABILITY AND REACTIVITY**

| Reactivity                         | See section 7  |
|------------------------------------|--|
| Chemical stability                 | <ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul> |
| Possibility of hazardous reactions | See section 7  |
| Conditions to avoid                | See section 7  |
| Incompatible materials             | See section 7  |
| Hazardous decomposition products   | See section 5  |

# **SECTION 11 TOXICOLOGICAL INFORMATION**

# Information on toxicological effects

| Inhaled      | Not normally a hazard due to non-volatile nature of product   |
|--------------|---|
| Ingestion    | Considered an unlikely route of entry in commercial/industrial environments Ingestion may result in nausea, abdominal irritation, pain and vomiting   |
| Skin Contact | The liquid may be miscible with fats or oils and may degrease the skin, producing a skin reaction described as non-allergic contact dermatitis. The material is unlikely to produce an irritant dermatitis as described in EC Directives. |

B: Satisfactory; may degrade after 4 hours continuous immersion

Chemwatch: **7516-93** Page 5 of 7 Version No: 7.1.1.1 **Ardex Multiprime** 

Issue Date: 21/04/2016 Print Date: 22/04/2016

|                                      | Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may p of the material and ensure that any external damage is suitably protected.  | oroduce systemic | injury with harmful effects. Examine the skin prior to the use |
|--------------------------------------|--|------------------|--|
| Eye                                  | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).                                 |                  |  |
| Chronic                              | Prolonged or repeated skin contact may cause drying with cracking, irritation and possible dermatitis following.  Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. |                  |  |
|                                      | TOXICITY IRRITATION  |                  |  |
| Ardex Multiprime                     | Not Available  | Not Available    |  |
|                                      | TOXICITY   | IRRITATION       |  |
| water                                | Oral (rat) LD50: >90000 mg/kg <sup>[2]</sup>   | Not Available    |  |
| Legend:                              | Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances                                |                  |  |
|                                      |  |                  |  |
| WATER                                | No significant acute toxicological data identified in literature search.   |                  |  |
| Acute Toxicity                       | ○ Card   | cinogenicity     | 0  |
| Skin Irritation/Corrosion            | ○ Rep  | productivity     | 0  |
| Serious Eye<br>Damage/Irritation     | ○ STOT - Singl   | e Exposure       | $\circ$  |
| Respiratory or Skin<br>sensitisation | STOT - Repeate   | d Exposure       | 0  |
| Mutagenicity                         |  | tion Hazard      | 0  |

Legend:

X − Data available but does not fill the criteria for classification
 v − Data required to make classification available

# **SECTION 12 ECOLOGICAL INFORMATION**

# Toxicity

| Ingredient | Endpoint   | Test Duration (hr) | Species                       | Value        | Source |
|------------|--|--------------------|-------------------------------|--------------|--------|
| water      | EC50   | 384                | Crustacea                     | 199.179mg/L  | 3      |
| water      | EC50   | 96                 | Algae or other aquatic plants | 8768.874mg/L | 3      |
| water      | LC50   | 96                 | Fish                          | 897.520mg/L  | 3      |
| Legend:    | Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data |                    |                               |              |        |

### DO NOT discharge into sewer or waterways.

### Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|-------------------------|------------------|
| water      | LOW                     | LOW              |

# Bioaccumulative potential

| Ingredient | Bioaccumulation      |
|------------|----------------------|
| water      | LOW (LogKOW = -1.38) |

# Mobility in soil

| Ingredient | Mobility         |
|------------|------------------|
| water      | LOW (KOC = 14.3) |

# **SECTION 13 DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate: Reduction

### Product / Packaging disposal

- ▶ Reuse ▶ Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

- DO NOT allow wash water from cleaning or process equipment to enter drains.
   It may be necessary to collect all wash water for treatment before disposal.

Chemwatch: 7516-93 Page 6 of 7 Issue Date: 21/04/2016 Version No: 7.1.1.1

# **Ardex Multiprime**

Print Date: 22/04/2016

- ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- ► Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or incineration in a licenced apparatus (after admixture with suitable combustible material).
- Decontaminate empty containers.

Ensure that the disposal of material is carried out in accordance with Hazardous Substances (Disposal) Regulations 2001.

#### **SECTION 14 TRANSPORT INFORMATION**

#### Labels Required

| Marine Pollutant | NO             |
|------------------|----------------|
| HAZCHEM          | Not Applicable |

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

### **SECTION 15 REGULATORY INFORMATION**

### Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

| HSR Number     | Group Standard |
|----------------|----------------|
| Not Applicable | Not Applicable |

# WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

New Zealand Inventory of Chemicals (NZIoC)

### **Location Test Certificate**

Subject to Regulation 55 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations, a location test certificate is required when quantity greater than or equal to those indicated below are present.

| Hazard Class   | Quantity beyond which controls apply for closed containers | Quantity beyond which controls apply when use occurring in open containers |
|----------------|--|--|
| Not Applicable | Not Applicable   | Not Applicable   |

# **Approved Handler**

Subject to Regulation 56 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations and Regulation 9 of the Hazardous Substances (Classes 6, 8, and 9 Controls) Regulations, the substance must be under the personal control of an Approved Handler when present in a quantity greater than or equal to those indicated below

| Class of substance | Quantities     |
|--------------------|----------------|
| Not Applicable     | Not Applicable |

Refer Group Standards for further information

### **Tracking Requirements**

Not Applicable

| National Inventory               | Status  |
|----------------------------------|---|
| Australia - AICS                 | Y   |
| Canada - DSL                     | Υ   |
| Canada - NDSL                    | N (water)   |
| China - IECSC                    | Υ   |
| Europe - EINEC / ELINCS /<br>NLP | Y   |
| Japan - ENCS                     | N (water)   |
| Korea - KECI                     | Υ   |
| New Zealand - NZIoC              | Υ   |
| Philippines - PICCS              | Y   |
| USA - TSCA                       | Υ   |
| Legend:                          | Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |

### **SECTION 16 OTHER INFORMATION**

 Chemwatch: 7516-93
 Page 7 of 7
 Issue Date: 21/04/2016

 Version No: 7.1.1.1
 Print Date: 22/04/2016

Ardex Multiprime Print Date: 2

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.