QUALITY CONTROL SHEET

ARDEX Damp Proofing Membranes

PROJECT				
			_	
Project Name:				
Site Address:				
Location on Site:	Unit:	Area	being installed:	m²
Owner:				
Builder:				
Site Supervisor:				
WATERPROOFING CONTRACTO				
WATERPROOFING CONTRACTO	DR			
WATERPROOFING CONTRACTO Contractor Name:	DR			
WATERPROOFING CONTRACTO Contractor Name:	Yes No			
WATERPROOFING CONTRACTO Contractor Name: Is the contractor an approved ARDEX applicator? Installation Supervisor:	Yes No	ARDEX Installer	r no.:	
WATERPROOFING CONTRACTO Contractor Name: Is the contractor an approved ARDEX applicator?	Yes No	ARDEX Installer	r no.:	
WATERPROOFING CONTRACTO Contractor Name: Is the contractor an approved ARDEX applicator? Installation Supervisor: Installation Team:	Yes No	ARDEX Installer	r no.:	
WATERPROOFING CONTRACTO Contractor Name: Is the contractor an approved ARDEX applicator? Installation Supervisor: Installation Team: Date Started: /	Yes No Date Completed:	ARDEX Installer	r no.:	umber
WATERPROOFING CONTRACTO Contractor Name: Is the contractor an approved ARDEX applicator? Installation Supervisor: Installation Team: Date Started: Name	Yes No Date Completed:	ARDEX Installer	r no.:	umber

CONSTRUCTION

Horizonal Sub	strate:				
New concrete	Old concrete	Sand Blinding	Compacted Mud Slab	Other:	
Wall Substrate	e:				
New concrete	Old concrete	Concrete Blo	ck Polyblock	Other:	
New Concrete	Details:				
Floors	Date concrete pou	red:/			
Walls	Date concrete pou				
SUBSTRA	TE PREPAR	ATION			-
Any surface c	ontamination?	Yes No			
Curing compo	ound? Yes	No			
Surface Prepa	aration:				
Captive Shotbla	sting Diamond	Grinding Conc	rete Planer Concrete	Scabbler	Other:
Substrate Cra	cks/Joints:				
Filled	Slip Tape/Bandage	Injection	Other:		
Prefill/Substra	ate Repair Require	d:			
Spalling	Substrate Devi	ation N	lone		
Wall substrate	installed in accord	lance with manufa	acturers instruction?	Yes No	
Surface Struc	k Smooth / Render	red? Yes I	No		
Coving Installe	ed? Yes N	0			
Product Instal	led?				
Edges Radiuse	ed Min 5mm and U	nderflashed?	Yes No		

Method of Termination?			
Chase Flashing	Pressure Bar	Other:	
Surface Preparation Contract	or:		
Name:			
Site Supervisor:			
Date Completed://	Signed:		
Surface Preparation: Contract	tor Acceptance		
Installation Supervisor:			
Date of Acceptance:/	/ Signed:		
Client Acceptance:			
Name:			
Site Supervisor:			
Date Completed:/			
SUBSTRATE RELATI Substrate RH tested? Substrate RH:%	VE HUMIDITY Date://_	Time:	_; am pm
PRIMERS			
Product Used:			
ARDEX WPM 240 (solvent based)	ARDEX WPM 247 (water bas	sed) Other:	
Coverage Rate Achieved:			
Under Flashings? Yes	No		
Installed to:			
Horizontal / Vertical Corners	Penetrations		

MEMBRANE INSTALLATION

ARDEX WPM 3000X	ARDEX WPM 5000HD
■ Under flashings installed correctly?	☐ Under flashings installed correctly?
Primer dry?	Primer dry?
Mainsheet Installed	Mainsheet Installed
■ Laps rolled	■ Laps rolled
☐ Laps 60mm on sheet edge	☐ Laps 60mm on sheet edge
■ 100mm on end	☐ 100mm on end
■ Membrane terminated correctly	Membrane terminated correctly
ARDEX DRS 10 GC installed	☐ ARDEX DRS 10 GC installed
Site left clean and tidy - free from offcuts	Site left clean and tidy - free from offcuts

COMMENTS

FINAL JOB APPROVAL & ACCEPTANCE

ARDEX Waterproofing Installer	
Name:	
Date of Acceptance:/	Signed:
Main Contractor	
Name:	
Date of Acceptance:/	Signed:
Architect/Client/Client Representative	
Name:	
Date of Acceptance:/	Signed:
ARDEX Personnel (For system warranties only)	
Name:	
Date of Acceptance:/	Signed:

The technical details, recommendations and other information contained in this data sheet are given in good faith and represent the best of our knowledge and experience at the time of printing. It is your responsibility to ensure that our products are used and handled correctly and in accordance with any applicable New Zealand and/or Australian Standards. Our instructions and recommendations are only for the uses they are intended. Users are advised to confirm that this product is suitable for their application and conforms with the specifications of the system. We also reserve the right to update information without prior notice to you to reflect our ongoing research and development program. Country specific recommendations, depending on local standards, codes of practice, building regulations or industry guidelines, may affect specific installation recommendations. The supply of our products and services is also subject to certain terms, warranties and exclusions, which may have already been disclosed to you in prior dealings or are otherwise available to you on request. You should make yourself familiar with them.

© ARDEX New Zealand Ltd 2023.

All aforementioned products are the trademarks of ARDEX New Zealand Ltd, its licensors and affiliates. Always refer to ardex.co.nz for the latest technical data from ARDEX New Zealand.



