

Certificate no: CMNZ70189

Version: 0

Original issue date: 12 December 2025

Version date: 12 December 2025

1. Certificate Holder Details



Ardex New Zealand Limited

15 Alfred Street, Onehunga, Auckland 1061
New Zealand
info@ardexnz.com
Ph: 0800 227 339
www.ardex.co.nz

2. Product Certification Body

Bureau Veritas Australia Pty Ltd

11/500 Collins Street
Melbourne VIC 3000 Australia
product.certification@bureauveritas.com
Ph: 1800 855 190
www.bureauveritas.com.au

Complaints: The complaints process for this certificate can be found here:
www.bureauveritas.com.au/your-feedback

Sam Guindi

Sam Guindi – Bureau Veritas Product Certification Manager



BUREAU
VERITAS

Product Certificate

Ardex WPM 715 and WPM 1000

3. Description of Building Method or Product

Name of the product or method in Aotearoa New Zealand, including any brand names used. Description of what it is and the components that make up any system and its physical attributes including the materials and make-up of the product, where applicable. Matters that should be taken into account in the use or application of the building method or product can be found in item 6. Conditions and Limitations of Use. Continuation of description can be found in item 10 – Supporting Information about Description. The building method's or building product's catalogue or model identification number or numbers or other unique identifiers that might be used to identify the building product or building method.

Ardex WPM 715 is a 1.5 mm weldable external waterproofing membrane system with properties which resist ageing from heat, sunlight and ozone. It has properties for gas impermeability, flexibility at low temperatures and is suitable in all climatic zones. Ardex WPM 715 is also suitable for use in an area requiring foot traffic.

Ardex WPM 1000 is a fleece-lined waterproofing sheet membrane system formulated for the direct adhesion of tiled systems or for other non-exposed use. Ardex WPM 1000 is heat-welded at laps and seams to create a bond, consistent gauge. Ardex WPM 1000 has properties of flexibility, durability, and resistance to tearing, cracking, bubbling and absorption.

4. Intended use of Building Method or Product

Intended use of the building method or product as described in the product manual and other instructional materials. A statement of the function or purpose of the building method or product. Continuation of intended use can be found in item 11 – Supporting Information about Intended use. [Delete if not applicable]

Ardex WPM 715 is used as a trafficable, single layer membrane in horizontal or vertical applications for waterproofing decks and roofs. Ardex WPM 1000 is designed to be used as an external waterproofing membrane for directly adhered tiled surfaces or for other non-exposed use. It is also suitable for use with specified ARDEX tile adhesives in domestic and commercial locations over most common substrates.

5. New Zealand Building Code Provisions

The performance clauses of the New Zealand Building Code that are relevant to the intended use and with which the building method or product complies or contributes to (where used as part of a system). How the building method or product complies or contributes can be found in item 8. Basis for Certification. Any qualifications on the extent of that compliance can be found in item 6. Conditions and Limitations of use.

B2 Durability: Performance Clause(s) B2.3.1 (a), B2.3.2

E2 External moisture: Performance Clause(s) E2.3.1 (contributes to), E2.3.2 (contributes to), E2.3.7

F2 Hazardous building materials: Performance Clause(s) F2.3.1



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <https://tepa.ebuilding.govt.nz/public-registers/>.

Certificate no: CMNZ70189

Version: 0

Original issue date: 12 December 2025

Version date: 12 December 2025

6. Conditions and Limitations of Use

The building method or product's use is to be in accordance with the installation instructions and requirements against which the building method or product was assessed.

Conditions or limitations of conformity for the performance requirements the building method or product is compliant with, including any requirements for people with the qualifications and skills to install or use the building method or product, any known or demonstrated situations where the building method or product should not be used. A statement as to whether there are any matters that should be taken into account in the use or application of the building product or building method and, if so, what those matters are.

1. Installation shall be undertaken in accordance with the information contained in the Ardex installation documents:
 - a) Ardex WPM 715 1.5 mm Weldable Roofing Membrane, August 2019.
 - b) Ardex WPM 1000 External Weldable Undertile Sheet Membrane, July 2019.
 - c) Ardex Substrate Specifications for External Membrane Applications, October 2018.
 - d) Ardex WELDTEC Waterproofing Membranes, 15 September 2025.
2. Installation shall be undertaken by a suitably qualified tradesman, having completed an Ardex training programme: for further details refer to <https://www.ardex.co.nz/services/applicators-installers-stockists/#>.
3. Ardex WPM 1000 shall only be adhered with Ardex WA 98 in accordance with the Ardex WPM 1000 product installation documentation listed in 1. above.
4. Ardex ST Tapes shall be used for detailing or reinforcement as defined in Ardex Weldtec product installation document listed in 1 d) above
5. Ardex WPM 715 and WPM 1000 Systems may be used where the minimum gradient of the substrate structure is completely flat (less than 1:80) including nominally zero pitch, when used with:
 - a) Timber substrate structures designed in accordance with NZS3604:2011 as a heavy roof, provided the mastic asphalt membrane does not exceed 22 mm.
 - b) Plywood sheets CCA (Copper Chrome Arsenic) treated to H3.2. The Plywood shall be a minimum of 17 mm thickness complying with AS/NZS 2269.0:2012.
 - c) Concrete and other specifically designed substrates designed in accordance with verification method B1/VM1 using the structural design actions in AS/NZS1170.1:2002
6. The design and construction of the substrate and movement and control joints is specific to each building and is outside the scope of this certificate.
7. Ardex WPM 715 and WPM 1000 shall be stored in clean, dry conditions, between 5°C and 30°C, out of direct sunlight, away from sources of puncture and physical damage and away from ignition sources and open flame.
8. The weather tightness design of all junctions on specifically designed buildings is outside the scope of this certificate.

7. Health and Safety Information

Health, safety, and well-being declarations associated with installation, maintenance, and use of the building method or product, and their specific editions and dates necessary to ensure the performance requirements of clauses F1 to F9 of the Building Code can be met.

The compliance with any manufacturer's installation instructions, maintenance, OH & S Statements, MSDS's and other Health and Safety declarations will provide the necessary Health and Safety Information pertaining to the product.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <https://tepaebuilding.govt.nz/public-registers/>.

Certificate no: CMNZ70189

Version: 0

Original issue date: 12 December 2025

Version date: 12 December 2025

8. Basis for Certification

How the performance requirements in the Building Code were met for each of the provisions. Where used as part of a system, the specific contribution to compliance.

B2 Durability - by testing and comparison with provisions of Verification Method B2/VM1 and B2/AS1

E2 External moisture - by testing and comparison with provisions of Acceptable Solution E2/AS1 clause 8.5

F2 Hazardous building materials - by testing and comparison with the performance requirements of clause F2.3.1

9. Supporting Documentation for Certification

Reference to any acceptable solutions, verification methods, New Zealand Standards, or other compliance pathways referenced against each individual performance requirement the building method or product is compliant with, and their specific version and date. Reference to documents describing tests and evaluations and any other documents relied on for certification or used to prove compliance, including their full title, specific version and date.

1. B2 Durability - Acceptable Solution B2/AS1, Durability provisions for building elements, Third Edition, 28 July 2025.
2. B2 Durability - Verification Method B2/VM1, Durability of buildings elements using in-service history, laboratory testing, and comparison to similar materials, Third Edition, 28 July 2025.
3. E2 External Moisture - Acceptable Solution E2/AS1 External moisture provisions for timber-framed buildings up to 10 m in height, Fourth Edition, 28 July 2025.
4. BRANZ Test Report DC2893/5 - Testing of WPM 1000 Membrane to the requirements of AS4654.1:2012, 21 August 2017.
5. BRANZ Test Report DC3004-011 - Testing of 1.5 mm Ardex WPM 715 G Membrane to the requirements of AS4654.1:2012, 23 July 2018.
6. BRANZ 1061 (2020), Appraisal - Ardex Weldtec Exposed Membrane Systems, 24 May 2025.
7. MBIE Determination 2016/016.
8. Ardex WPM 715 1.5 mm Weldable Roofing Membrane, August 2019.
9. Ardex WPM 1000 External Weldable Undertile Sheet Membrane, July 2019.
10. Ardex Substrate Specifications for External Membrane Applications, October 2018.
11. Ardex WELDTEC Waterproofing Membranes, 15 September 2025.
12. BRANZ 925, Appraisal - Ardex WPM 1000 External Deck Membrane, 2024.
13. Ardex WPM 715 MSDS, 1 November 2019.
14. WPM 715 Product Technical Statement, 2019.
15. WPM 1000 Undertile Butynol MSDS, 1 November 2019.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <https://tepaebuilding.govt.nz/public-registers/>.

Certificate no: CMNZ70189

Version: 0

Original issue date: 12 December 2025

Version date: 12 December 2025

Product Certificate

Ardex WPM 715 and WPM 1000



10. Supporting Information About Description (Optional)

Any supporting information for section 3.

The following components form part of the Ardex WPM 715 and WPM 1000 waterproofing membrane system:

- Ardex WA 98 adhesive
- Ardex Transition Tape
- Ardex Flashing Tape
- Ardex WPM299 Primer
- Ardex Seam Tape
- Ardex Substrate Tape

11. Supporting Information About Intended Use (Optional)

Any supporting information for section 4.

N/A

12. Supporting Information About Conditions and Limitations of Use (Optional)

Any supporting information for section 6.

N/A

All CodeMark certificates that are current must be registered with MBIE. MBIE maintains a register of valid product certificates. [Please find the register here.](#)

If the certificate is not listed on this register or it appears as (SUSPENDED), it is not a valid CodeMark certificate and does not have to be accepted by a building consent authority as establishing compliance with the New Zealand Building Code.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <https://tepaebuilding.govt.nz/public-registers/>.