

ARDEX WPM 715

WELDTEC WELDABLE ROOFING MEMBRANE



ARDEX WPM 715 is a 1.5mm weldable waterproofing membrane with properties which resist ageing from heat, sunlight and ozone. It has excellent gas impermeability and toughness and remains flexible at low temperatures and is suitable in all climatic zones. ARDEX WPM 715 is suitable for use in an area requiring foot traffic. ARDEX WPM 715 is part of the ARDEX WeldTec range of products that is installed with heat welded laps and seams. The welding process ensures a fast installation and added security.

Benefits

- Welded laps and seams for fast installation
- Excellent resistance to ageing from heat, sunlight and ozone
- Excellent resistance to atmosphere agents
- Excellent resistance to geothermal gas including hydrogen sulphide and methane
- Excellent flexibility at lower temperatures
- Suitable for foot traffic
- Suitable for potable water collection
- No significant maintenance required
- Available in black and grey
- 1.5mm gauge
- Manufactured in New Zealand

Use

ARDEX WPM 715 is ideal for use as a trafficable, single layer membrane in horizontal or vertical applications for waterproofing decks and roofs.

Size

Rolls of 1.4m x 20m x 1.5mm

Substrates

- Concrete
- Plywood
- Insulation board
- Orientated strandboard
- CFC sheet
- Timber
- Galvanised metal
- Zinalume
- Polyurethane foam

Packaging

Black roll
Grey roll

Code

32336
32341



CodeMark >>>
CERTIFIED
CMNZ70189

To find out more
call 0800 227 339 or
visit www.ardex.co.nz



SYSTEMARDEX
PREMIUM PERFORMANCE

WeldTec®