



CODEMARK™

Product description

Ardex WPM 195 & WPM 196 are high performance Styrene-Butadiene-Styrene (sbs) bituminous compounds modified with adhesive elasto-plastomeric polymers. They are torch applied tanking membranes. WPM 196 has a slate mineral chip finish for high adhesion to concrete, WPM 195 does not have this finish

Product purpose or use

Ardex WPM 195 & WPM 196 are used as single or multi-layered membranes in horizontal or vertical applications for waterproofing for below ground tanking. They are primarily applied to the outside of a sub-structure of a building, such as a foundation or basement to resist hydrostatic water pressure and prevent water ingress. Other forms of tanking where these products can be used include under floor slabs, behind masonry walls, the lining of substrates of in situ or precast concrete; retaining walls, lift shafts, tunnels and living roofs.

Certificate holder

Ardex New Zealand Limited
15 Alfred Street, Onehunga, Auckland
Ph: 03 3736909
Website: www.ardex.co.nz

CodeMark Product Certification Body

Bureau Veritas Australia P/L
3/435 Williamstown Rd,
Port Melbourne VIC, 3207
Ph: 1800 855 190
www.bureauveritas.com.au

Sam Guindi
Product Certification Manager

For and on behalf of
Bureau Veritas Australia Pty Ltd

PRODUCT CERTIFICATE

This is to certify that

Ardex WPM 195 & WPM 196 Tanking Membranes

Complies with the New Zealand Building Code (NZBC):

If designed, used, installed and maintained in accordance with the scope of this certificate, the above mentioned product will meet the following provisions of the NZBC:

- B1.3.1; B1.3.3 (a), (d), (e)
- B2.3.1(a)
- E2.3.1 (contributes to); E2.3.2; E2.3.3
- F2.3.1

Subject to the following conditions and limitations

1. The membranes must be designed and installed in accordance with the ARDEX technical literature, ARDEX WPM 195, ARDEX WPM 196 available at www.ardex.co.nz.
2. The membranes must be installed by Ardex New Zealand Limited approved applicators
3. Ardex WPM 195 must be protected from UV
4. Ardex New Zealand Ltd will notify Bureau Veritas Pty Ltd in accordance with Regulation 15 of the Building (Product Certification) Regulations 2008



**BUREAU
VERITAS**

JAS-ANZ



WWW.JAS-ANZ.ORG/REGISTER

7 May 2019
Date of issue

CM70013
Certificate Number



**MINISTRY OF BUSINESS,
INNOVATION & EMPLOYMENT**
HĪKINA WHAKATUTUKI

- This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. The Ministry does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. The Ministry disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.
- This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.